

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1619	(font near3 format)	US-PGPUB; USPAT	OR	ON	2007/07/20 14:56
S2	202	(font near3 format) same (manag\$5 or stor\$3) same (file or folder)	US-PGPUB; USPAT	OR	ON	2007/07/20 14:59
S3	31	(font near3 format) same (manag\$5 or stor\$3) same (file or folder) same ((type near5 determin\$5 or select\$3))	US-PGPUB; USPAT	OR	ON	2007/07/20 15:06
S4	2	(font near3 format) same (manag\$5 or stor\$3) same (file or folder) same (type near5 (determin\$5 or select\$3))	US-PGPUB; USPAT	OR	ON	2007/07/20 15:18
S5	199	(font near3 format) and (manag\$5 or stor\$3) and (file or folder) same (type near5 (determin\$5 or select\$3))	US-PGPUB; USPAT	OR	ON	2007/07/20 15:01
S6	9	(font near3 format) and (manag\$5 or stor\$3) and (file or folder) same (type near5 (determin\$5 or select\$3)) and ((attach\$3 or append\$3) near3 (code or command))	US-PGPUB; USPAT	OR	ON	2007/07/20 15:18
S7	5	(font near3 format) and (manag\$5 or stor\$3) and (file or folder) same (type near5 (determin\$5 or select\$3)) and ((attach\$3 or append\$3) near3 (code or command)) and (PCL or (printer adj control adj language)) and (PostScript) and (TrueType or foreign)	US-PGPUB; USPAT	OR	ON	2007/07/20 15:22
S8	0	(font near3 format) and (manag\$5 or stor\$3) and (file or folder) same (type near5 (determin\$5 or select\$3)) and (attach\$3 or append\$3) and (PCL or (printer adj control adj language)) and (PostScript) and (TrueType or foreign) and RIP and (display or (user adj interface) or UI) and ((simple adj network adj management adj protocol) or SNMP)	US-PGPUB; USPAT	OR	ON	2007/07/20 15:05

EAST Search History

S9	0	(font near3 format) and (manag\$5 or stor\$3) and (file or folder) same (type near5 (determin\$5 or select\$3)) and (attach\$3 or append\$3) and (PCL or (printer adj control adj language)) and (PostScript) and (TrueType or foreign) and RIP and (display or (user adj interface) or UI) and ((simple adj network adj management adj protocol) or SNMP or network or LAN)	US-PGPUB; USPAT	OR	ON	2007/07/20 15:05
S10	6	(font near3 format) and (manag\$5 or stor\$3) and (file or folder) same (type near5 (determin\$5 or select\$3)) and (attach\$3 or append\$3) and (PCL or (printer adj control adj language)) and (PostScript) and (TrueType or foreign)	US-PGPUB; USPAT	OR	ON	2007/07/20 15:23
S11	6	(font near3 format) and (manag\$5 or stor\$3) and (file or folder) same (type near5 (determin\$5 or select\$3)) and (attach\$3 or append\$3) and (PCL or (printer adj control adj language)) and (PostScript) and (TrueType or foreign) and (network or LAN)	US-PGPUB; USPAT	OR	ON	2007/07/20 15:35
S12	1	("5402528").PN.	US-PGPUB; USPAT	OR	OFF	2007/07/20 15:25
S13	2	((PCL or (printer adj control adj language)) near3 font\$1) and ((PostScript) near3 font\$1) and ((TrueType or foreign) near3 font\$1)	US-PGPUB; USPAT	OR	ON	2007/07/20 15:41
S14	302	((determin\$3 or select\$3) near5 (font adj type))	US-PGPUB; USPAT	OR	ON	2007/07/20 15:42
S15	2	((determin\$3 or select\$3) near5 (font adj type)) same (stor\$3) same manag\$5	US-PGPUB; USPAT	OR	ON	2007/07/20 15:43
S16	133	((determin\$3 or select\$3) near5 (font adj type)) and (stor\$3) and manag\$5	US-PGPUB; USPAT	OR	ON	2007/07/20 15:47
S17	12	((determin\$3 or select\$3) near5 (font adj type)) and (stor\$3) and (manag\$5) and ((attach\$3 or append\$3) near3 (file or code or command))	US-PGPUB; USPAT	OR	ON	2007/07/20 15:51

EAST Search History

S18	0	((determin\$3 or select\$3) near5 (font adj type)) and (stor\$3) and (manag\$5) and ((attach\$3 or append\$3) near3 (file or code or command)) and (PostScript or PCL or TrueType)	US-PGPUB; USPAT	OR	ON	2007/07/20 15:49
S19	39	print\$3 and (font near5 manag\$5) and stor\$3 and ((append or attach\$3) near3 (code or file or command))	US-PGPUB; USPAT	OR	ON	2007/07/20 15:55
S20	13	print\$3 and (font near5 manag\$5) and stor\$3 and ((append or attach\$3) near3 (code or file or command)) and (postscript)	US-PGPUB; USPAT	OR	ON	2007/07/20 15:54
S21	0	print\$3 and (font near5 manag\$5) and stor\$3 and ((append or attach\$3) near3 (code or file or command)) and (postscript) and truetype	US-PGPUB; USPAT	OR	ON	2007/07/20 15:53
S22	10	print\$3 and (font near5 manag\$5) and stor\$3 and ((append or attach\$3) near3 (code or file or command)) and (type near3 (determin\$5))	US-PGPUB; USPAT	OR	ON	2007/07/20 15:53
S23	2492	print\$3 same (font\$1) same (downlod or install\$4 or load\$3 or storage)	US-PGPUB; USPAT	OR	ON	2007/07/20 18:32
S24	609	print\$3 same (font\$1) same (downlod or install\$4 or load\$3 or storage) same ((select\$3 adj stor\$3) or file or folder or list)	US-PGPUB; USPAT	OR	ON	2007/07/20 18:33
S25	91	print\$3 same (font\$1) same (downlod or install\$4 or load\$3 or storage) same ((select\$3 adj stor\$3) or file or folder or list) same (manag\$5 or organiz\$5)	US-PGPUB; USPAT	OR	ON	2007/07/20 18:34
S26	3	print\$3 same (font\$1) same (downlod or install\$4 or load\$3 or storage) same ((select\$3 adj stor\$3) or file or folder or list) same (manag\$5 or organiz\$5) same ((append\$3 or attach\$3) near3 (code or file or command))	US-PGPUB; USPAT	OR	ON	2007/07/20 18:36

EAST Search History

S27	0	print\$3 same (font\$1) same (downlod or install\$4 or load\$3 or storage) same ((select\$3 adj stor\$3) or file or folder or list) same (manag\$5 or organiz\$5) same ((append\$3 or attach\$3) near3 (code or file or command)) same (conver\$4 or translat\$5)	US-PGPUB; USPAT	OR	ON	2007/07/20 18:35
S28	1382	print\$3 and (font\$1) and (downlod or install\$4 or load\$3 or storage) and ((select\$3 adj stor\$3) or file or folder or list) and (manag\$5 or organiz\$5) and ((append\$3 or attach\$3) near3 (code or file or command)) and (conver\$4 or translat\$5)	US-PGPUB; USPAT	OR	ON	2007/07/20 18:37
S29	102	print\$3 and ((font\$1) near5 (downlod or install\$4 or load\$3 or storage)) and ((select\$3 adj stor\$3) or file or folder or list) and (manag\$5 or organiz\$5) and ((append\$3 or attach\$3) near3 (code or file or command)) and (conver\$4 or translat\$5)	US-PGPUB; USPAT	OR	ON	2007/07/20 18:38
S30	36	print\$3 and ((font\$1) near5 (downlod or install\$4 or load\$3 or storage)) and ((select\$3 adj stor\$3) or file or folder or list) and (manag\$5 or organiz\$5) and ((append\$3 or attach\$3) near3 (code or file or command)) and (conver\$4 or translat\$5) and postscript	US-PGPUB; USPAT	OR	ON	2007/07/20 18:49
S31	4	print\$3 and ((font\$1) near5 (downlod or install\$4 or load\$3 or storage)) and ((select\$3 adj stor\$3) or file or folder or list) and (manag\$5 or organiz\$5) and ((append\$3 or attach\$3) near3 (code or file or command)) and (conver\$4 or translat\$5) and postscript and truetype	US-PGPUB; USPAT	OR	ON	2007/07/20 18:38
S32	2	print\$3 and ((font\$1) near5 (downlod or install\$4 or load\$3 or storage)) and ((select\$3 adj stor\$3) or file or folder or list) and (manag\$5 or organiz\$5) and ((append\$3 or attach\$3) near3 (code or file or command)) and (conver\$4 or translat\$5) and postscript and truetype and pcl	US-PGPUB; USPAT	OR	ON	2007/07/20 18:41

EAST Search History

S33	6706	(font near3 (format or type))	US-PGPUB; USPAT	OR	ON	2007/07/20 18:50
S34	1957	(font near3 (format or type)) same (download\$3 or install\$5 or stor\$3)	US-PGPUB; USPAT	OR	ON	2007/07/20 18:51
S35	386	(font near3 (format or type)) same (download\$3 or install\$5 or stor\$3) same (conver\$4 or translat\$3)	US-PGPUB; USPAT	OR	ON	2007/07/20 18:51
S36	21	(font near3 (format or type)) same (download\$3 or install\$5 or stor\$3) same (conver\$4 or translat\$3) same (manag\$5 or organiz\$5)	US-PGPUB; USPAT	OR	ON	2007/07/20 18:59
S37	1	(font near3 (format or type)) same (download\$3 or install\$5 or stor\$3) same (conver\$4 or translat\$3) same (manag\$5 or organiz\$5) same ((append\$3 or attach\$3 or add\$3) near3 (code or command or file or data))	US-PGPUB; USPAT	OR	ON	2007/07/20 18:59
S38	1312	(font near3 (format or type)) and (download\$3 or install\$5 or stor\$3) and (conver\$4 or translat\$3) and (manag\$5 or organiz\$5) and ((append\$3 or attach\$3 or add\$3) near3 (code or command or file or data))	US-PGPUB; USPAT	OR	ON	2007/07/20 18:55
S39	379	(font near3 (format or type)) and (download\$3 or install\$5 or stor\$3) and (conver\$4 or translat\$3) and (manag\$5 or organiz\$5) and ((append\$3 or attach\$3 or add\$3) near3 (code or command or file or data)) and ((determin\$ or select\$3) near5 font)	US-PGPUB; USPAT	OR	ON	2007/07/20 18:56
S40	73	(font near3 (format or type)) and (download\$3 or install\$5 or stor\$3) and (conver\$4 or translat\$3) and (manag\$5 or organiz\$5) and ((append\$3 or attach\$3 or add\$3) near3 (code or command or file or data)) and ((determin\$ or select\$3) near5 font) and postscript	US-PGPUB; USPAT	OR	ON	2007/07/20 18:56
S41	52	(font near3 (format or type)) and (download\$3 or install\$5 or stor\$3) and (conver\$4 or translat\$3) and (manag\$5 or organiz\$5) and ((append\$3 or attach\$3 or add\$3) near3 (code or command or file or data)) and ((determin\$ or select\$3) near5 font) and postscript and truetype	US-PGPUB; USPAT	OR	ON	2007/07/20 18:57

EAST Search History

S42	24	(font near3 (format or type)) and (download\$3 or install\$5 or stor\$3) and (conver\$4 or translat\$3) and (manag\$5 or organiz\$5) and ((append\$3 or attach\$3 or add\$3) near3 (code or command or file or data)) and ((determin\$ or select\$3) near5 font) and postscript and truetype and (pcl or (printer adj control adj language) or pjl)	US-PGPUB; USPAT	OR	ON	2007/07/20 18:57
S43	24	(font near3 (format or type)) and (download\$3 or install\$5 or stor\$3) and (conver\$4 or translat\$3) and (manag\$5 or organiz\$5) and ((append\$3 or attach\$3 or add\$3) near3 (code or command or file or data)) and ((determin\$ or select\$3) near5 font) and postscript and truetype and (pcl or (printer adj control adj language) or pjl) and ((select\$2 adj storage) or file or folder or (select\$2 adj location))	US-PGPUB; USPAT	OR	ON	2007/07/20 18:59
S44	24	(font near3 (format or type)) and (download\$3 or install\$5 or stor\$3) and (conver\$4 or translat\$3) and (manag\$5 or organiz\$5) and ((append\$3 or attach\$3 or add\$3) near3 (code or command or file or data)) and ((determin\$ or select\$3) near5 font) and postscript and truetype and (pcl or (printer adj control adj language) or pjl) and ((select\$2 adj storage) or file or folder or (select\$2 adj location)) and print\$3	US-PGPUB; USPAT	OR	ON	2007/07/20 19:01
S45	0	(font near3 (data or file)) same (font near3 (description or features or layout or characteristics)) same (wrapper near3 file)	US-PGPUB; USPAT	OR	ON	2007/12/22 18:23
S46	0	(font near3 (data or file)) same (font near3 (description or features or layout or characteristics)) same (wrap\$3 near3 file)	US-PGPUB; USPAT	OR	ON	2007/12/22 18:24
S47	0	(font near3 (description or features or layout or characteristics)) same (wrap\$3 near3 file)	US-PGPUB; USPAT	OR	ON	2007/12/22 18:23
S48	0	(font near3 (data or file)) same (font near3 (description or features or layout or characteristics)) same (native near3 form\$2)	US-PGPUB; USPAT	OR	ON	2007/12/22 18:24

EAST Search History

S49	30	(font near3 (data or file)) and (font near3 (description or features or layout or characteristics)) and (native near3 form\$2)	US-PGPUB; USPAT	OR	ON	2007/12/22 18:25
S50	0	(font near3 (data or file)) and (font near3 (description or features or layout or characteristics)) and (native near3 form\$2) and (wrap near3 (data or file or font))	US-PGPUB; USPAT	OR	ON	2007/12/22 18:25
S51	23	(font near3 (data or file)) and (font near3 (description or features or layout or characteristics)) and (native near3 form\$2) and ((enclos\$3 or surround\$3 or includ\$3) near3 (data or file or font))	US-PGPUB; USPAT	OR	ON	2007/12/22 18:26
S52	1	(manag\$3 near3 font near3 format) and (receiv\$3 near3 request) and (determin\$5 near3 font near3 type) and ((append\$3 or attach\$3 or add\$3) near3 (code or header or data or command))	US-PGPUB; USPAT	OR	ON	2007/12/25 16:31
S53	3	(manag\$3 near3 font near3 format) and ((append\$3 or attach\$3 or add\$3) near3 (code or header or data or command))	US-PGPUB; USPAT	OR	ON	2007/12/25 16:23
S54	2	(manag\$3 near3 font near3 format) and (receiv\$3 near3 request) and ((append\$3 or attach\$3 or add\$3) near3 (code or header or data or command))	US-PGPUB; USPAT	OR	ON	2007/12/25 16:25
S55	8	(receiv\$3 near3 request) and (determin\$5 near3 font near3 type) and ((append\$3 or attach\$3 or add\$3) near3 (code or header or data or command))	US-PGPUB; USPAT	OR	ON	2007/12/25 16:26
S56	39054	(receiv\$3 near3 request) and ((append\$3 or attach\$3 or add\$3) near3 (code or header or data or command))	US-PGPUB; USPAT	OR	ON	2007/12/25 16:22
S57	1	(manag\$3 near3 font near3 format) and (receiv\$3 near3 request) and (determin\$5 near3 font near3 type) and ((append\$3 or attach\$3 or add\$3) near3 (code or header or data or command)) and ((creat\$3 or generat\$3) near3 (font adj file))	US-PGPUB; USPAT	OR	ON	2007/12/25 16:32

EAST Search History

S58	0	(manag\$3 near3 font near3 format) and (receiv\$3 near3 request) and (determin\$5 near3 font near3 type) and ((append\$3 or attach\$3 or add\$3) near3 (code or header or data or command)) and ((creat\$3 or generat\$3) near3 (font adj file)) and ((pars\$3 or isolat\$3) near3 font near3 data)	US-PGPUB; USPAT	OR	ON	2007/12/25 16:36
S59	0	(manag\$3 near3 font near3 format) and (receiv\$3 near3 request) and (determin\$5 near3 font near3 type) and ((append\$3 or attach\$3 or add\$3) near3 (code or header or data or command)) and ((creat\$3 or generat\$3) near3 (font adj file)) and ((pars\$3 or isolat\$3) near3 font near3 data) and ((test\$3 or examin\$3 or evaluat\$3 or process\$3) near3 font near3 data)	US-PGPUB; USPAT	OR	ON	2007/12/25 16:38
S60	0	(manag\$3 near3 font near3 format) and (receiv\$3 near3 request) and (determin\$5 near3 font near3 type) and ((append\$3 or attach\$3 or add\$3) near3 (code or header or data or command)) and ((creat\$3 or generat\$3) near3 (font adj file)) and ((pars\$3 or isolat\$3 or extract\$3) near3 font near3 data) and ((test\$3 or examin\$3 or evaluat\$3 or process\$3) near3 font near3 data)	US-PGPUB; USPAT	OR	ON	2007/12/25 16:38